	Application No.	Applicant(s)
Notice of Allowability	10/603,312	HAMILTON, MARK
	Examiner	Art Unit
	Timothy F. Simone	1761
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to		
<ul> <li>2.  ☐ The allowed claim(s) is/are 1-5.</li> <li>3. ☐ The drawings filed on are accepted by the Examiner.</li> <li>4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).		
(a) The translation of the foreign language provisional application has been received.		
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>8. CORRECTED DRAWINGS must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No</li> <li>(b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner.</li> <li>(c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No</li> </ul>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
<ul> <li>1⊠ Notice of References Cited (PTO-892)</li> <li>3□ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>5□ Information Disclosure Statements (PTO-1449), Paper No</li> <li>7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	4☐ Interview Summ 6⊠ Examiner's Ame	al Patent Application (PTO-152) hary (PTO-413), Paper No endment/Comment ement of Reasons for Allowance

Application/Control Number: 10/603,312

Art Unit: 1761

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

## In the Drawings

Element "32" must be shown in the drawings.

Also, the drawings must show every feature of the invention specified in the claims as required under 37 CFR 1.83(a). Therefore, the "firebox" in the lower portion of the cooking chamber and the lower portion of the smoking chamber must be shown in the drawings. No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

A combination smoker and barbeque grill including a cooking chamber having an upper portion and a lower portion, the upper portion comprising racks for placing food to be cooked, the lower portion comprising a firebox and a grate, a smoking chamber having an upper portion for placing food to be smoked and a lower portion comprising a firebox, wherein the lower portion of the cooking chamber and the lower portion of the

smoking chamber are attached and communicate via an opening that is selectably covered and uncovered by a door, and wherein the lower portion of the smoking chamber is selectively connected to the upper portion of the cooking chamber by a ventilation pipe having a valve is not taught nor fairly suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy F. Simone whose telephone number is 571-272-1407. The examiner can normally be reached on weekdays between 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano can be reached on 521-272-1398. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306 for regular communications and 703-872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1700.

Timothy F. Simone Primary Examiner Art Unit 1761